



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/623,205	07/18/2003	Maria Palasis	104914-160	2843
------------	------------	---------------	------------	------

388 7590 12/22/2005

FULBRIGHT & JAWORSKI
MARKET SQUARE
801 PENNSLYVANIA, N.W.
WASHINGTON, DC 200042604

EXAMINER

AFREMOVA, VERA

ART UNIT	PAPER NUMBER
----------	--------------

1651

DATE MAILED: 12/22/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/623,205	Applicant(s) PALASIS, MARIA	
	Examiner Vera Afremova	Art Unit 1651	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 11 October 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-45 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-45 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claims 1-45 as amended (10/11/2005) are pending and under examination.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 5, 6, 10-14, 17, 18, 20, 22, 23, 27-31, 35, 37, 38, 42-44 and 45 as amended remain rejected under 35 U.S.C. 102(b) as being anticipated by Kocher et al.

(“Neovascularization of ischemic myocardium by human bone-marrow-derived angioblasts prevents cardiomyocyte apoptosis, reduces remodeling and improves cardiac function”. Nature Medicine. April 2001. Vol. 7, No. 4, pages 430-436) as explained in the prior office action and for the reasons below.

Claims are directed to a method of producing a graft of non-hematopoietic tissue in damaged or diseased tissue of a subject in need thereof, comprising steps of (a) isolating stem cells from peripheral blood of a donor by apheresis; and (b) implanting a population of the isolated stem cells into the tissue, whereby implantation produces a graft of non-hematopoietic tissues in the damaged or diseased tissue.

Some claims are/are further drawn to the damaged or diseased tissue(s) including tissue striated muscle, ischemic tissue, necrotic tissue, myocardium, skeletal muscle and/or heart.

Some claims are further drawn to administration of a mobilization factor to the donor to mobilize the stem cells into peripheral blood, the mobilization factors including GM-SF. Some claims are

Art Unit: 1651

further drawn to fractionating the stem cells prior implantation including FACS and density gradient centrifugation. Some claims are further drawn to implantation of cells at the site of disease or damage.

The reference by Kocher et al. discloses a method of treating damaged or diseased tissue such as infarcted myocardium wherein the method comprising steps of (a) isolating G-CSF mobilized CD34+ stem cells from peripheral blood of a human donor by apheresis (for example: see page 430, col. 2, last par.; page 435, col. 1, last par.); and (b) implanting a population of the isolated stem cells into the damaged tissue of rats by injection (fig. 2 or fig. 3), wherein the method results in neoangiogenesis and implantation of the stem cells within myocardial infarct bed (Fig. 2, e), thus, producing a graft of non-hematopoietic tissues in the damaged or diseased tissue. The stem cells were collected and fractioned including leukopheresis, magnetic beads coated with antibodies and FACScan analysis and, thus, fractioned by density centrifugation and fractioned by FACS within the meaning of the claims. In particular, Kocher et al. disclose that intravenous injection of freshly obtained human CD34+ cells resulted in infiltration of these stem cells into infarct zone of LAD-ligated rats (page 432, col. 2, par. 2, lines 1-4) and that further examination revealed significant increase in infarct zone microvascularity, cellular density, etc. and improved myocardial function (page 432, col. 2, par. 2, lines 1-4; Fig. 3). Thus, a population of the isolated stem cells have been implanted into tissue in need of treatment or at the site of damage including striated muscle, ischemic tissue, necrotic tissue, myocardium and/or heart within the meaning of the claims.

Therefore, the cited reference anticipates the claimed invention.

Art Unit: 1651

Claims 1, 9-14, 17, 18, 21, 26-31 and 41-45 as amended remain rejected under 35 U.S.C. 102(b) as being anticipated by Kalka et al. ("Transplantation of *ex vivo* expanded endothelial progenitor cells for therapeutic neovascularization". PNAS. March 28, 2000. Vol. 97, No. 7, pages 3422-3427) as explained in the prior office action and for the reasons below.

Claims are directed to a method of producing a graft of non-hematopoietic tissue in damaged or diseased tissue of a subject in need thereof, comprising steps of (a) isolating stem cells from peripheral blood of a donor by apheresis; and (b) implanting a population of the isolated stem cells into the tissue, whereby implantation produces a graft of non-hematopoietic tissues in the damaged or diseased tissue.

Some claims are/are further drawn to the damaged or diseased tissue(s) including tissue striated muscle, ischemic tissue, necrotic tissue and/or skeletal muscle. Some claims are further drawn to fractionating the stem cells prior implantation including FACS and density gradient centrifugation. Some claims are further drawn to additional step of *ex vivo* expanding the cells prior to the implanting step. Some claims are further drawn to implantation of cells at the site of disease or damage.

The reference by Kalka et al. discloses a method of producing a graft of non-hematopoietic tissue in damaged or diseased tissue of a subject in need thereof, the method comprising steps of (a) isolating stem cells from peripheral blood of a donor (for example: page 3422, col. 2, section Materials and Methods, lines 1-2); and (b) implanting a population of the isolated stem cells into the damaged tissue of murine model of hindlimb ischemia (for example: page 3422, abstract, lines 7-9; page 3423, col. 1, last par.), wherein the method results in neovascularization of damaged tissue and implantation of the donor stem cells within damaged

Art Unit: 1651

skeletal muscle for example: page 3422, abstract, lines 9-11; page 3425, col.2, par. 3, lines 1-4; Fig. 5), thus, producing a graft of non-hematopoietic tissues in the damaged or diseased tissue. The stem cells were fractionated prior implantation including FACS and density gradient centrifugation (page 3422, col. 2, par. 2 and last par.) and the stem cell were ex vivo expanded prior implantation step (title; page 3422, col. 2, par. 2). In particular, the reference by Kalka et al. teaches that transplantation of human peripheral blood derived stem cells or endothelial progenitors into mice with hind limb ischemia resulted in recovery of blood flow, improved capillary density and neovascularization of the damaged skeletal muscle. The animal marine model with hindlimb ischemia received intracardiac injection of human *ex vivo* expanded and labeled epithelial progenitors derived from peripheral blood (page 3423, col. 1, par. 1-2) and the labeled cells were identified in mouse ischemic and necrotic hindlimb tissues (page 3425, col. 2, par. 2, lines 9-13). Thus, a population of stem cells or *ex vivo*-expanded stem cells were implanted into the damaged/diseased tissues or into site of damage including striated muscle, ischemic tissue, necrotic tissue and/or skeletal muscle within the meaning of the claims.

Therefore, the cited reference anticipates the claimed invention.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 1651

Claims 1-45 as amended remain rejected under 35 U.S.C. 103(a) as being unpatentable over Kocher et al. ("Neovascularization of ischemic myocardium by human bone-marrow-derived angioblasts prevents cardiomyocyte apoptosis, reduces remodeling and improves cardiac function". Nature Medicine. April 2001. Vol. 7, No. 4, pages 430-436) and Kalka et al. ("Transplantation of *ex vivo* expanded endothelial progenitor cells for therapeutic neovascularization". PNAS. March 28, 2000. Vol. 97, No. 7, pages 3422-3427) taken with US 5,199,942 (Gillis) (IDS reference) and Lagasse et al. ("Purified hematopoietic stem cells can differentiate into hepatocytes in vivo". Nature Medicine. November 2000, Vol. 6, No. 1, pages 1229-1234) as explained in the prior office action and for the reasons below.

Claims are directed to a method of producing a graft of non-hematopoietic tissue in damaged or diseased tissue of a subject in need thereof, comprising steps of (a) isolating stem cells from peripheral blood of a donor by apheresis; and (b) implanting a population of the isolated stem cells into the tissue, whereby implantation produces a graft of non-hematopoietic tissues in the damaged or diseased tissue. Some claims are/are further drawn to the damaged or diseased tissue(s) including tissue striated muscle, ischemic tissue, necrotic tissue, myocardium, skeletal muscle, heart and/or liver. Some claims are further drawn to administration of a mobilization factor to the donor to mobilize the stem cells into peripheral blood, the mobilization factors including GM-SF. Some claims are further drawn to administration of engraftment factor to promote engraftment of the stem cells in the subject. Some claims are further drawn to fractionating the stem cells prior implantation including FACS and density gradient centrifugation. Some claims are further drawn to additional step of *ex vivo* expanding the cells prior to the implanting step. Some claims are further drawn to implanting the cells at the site of

Art Unit: 1651

disease or damage. Some claims are further drawn to the subject of implantation including same as donor, HLA-matched to the donor, human.

The references by Kocher et al. and Kalka et al. are relied upon as explained above for the disclosure of a method of treating damaged or diseased tissue and/or of producing a graft of non-hematopoietic tissue in the damaged or diseased tissue of a subject in need thereof by implanting peripheral blood derived stem cells. The cited references teach that transplantation of the donor peripheral blood derived stem cells results in neovascularization and amelioration of the damaged tissues including the non-hematopoietic tissues such as striated muscle, ischemic tissue, necrotic tissue, myocardium, skeletal muscle, heart. Both cited references demonstrate that the donor peripheral blood derived stem cells were incorporated or implanted into recipient damaged tissues, thus, producing a graft of non-hematopoietic tissue in the recipient damaged or diseased tissues. Both cited references recognize presence of stem cells in circulating blood or peripheral blood. The reference Kocher et al. also teaches mobilization of stem cells from bone marrow into peripheral blood by administration of mobilization factors to the stem cell donor. The reference Kalka et al. also teaches that *ex vivo* culture strategy allows expansion and considerable increase in the original number of harvested cells (page 3426, col. 2, par. 2). Both cited references suggest that transplantation of stem and/or progenitor cell population has potential to significantly improve damaged or diseased tissue in patients, and, thus, humans. Both cited references suggest transplantation of stem cells alone in combination with currently used therapies or with cytokines. For example: see Kocher et al. at abstract and see Kalka et al. at last lines of the articles on page 3427.

Art Unit: 1651

Thus, although the cited references recognize and suggest combined therapies or transplantation of stem cells with additional drugs, they are lacking particular disclosure about particular additional drugs or cell engraftment factors. However, US 5,199,942 (Gillis) teaches administering engraftment factors including GM-CSF, IL-3, SCF and others following transplantation of hematopoietic cells in the method for improving cell transplantation (col. 3, lines 39-45). US 5,199,942 also teaches administering recruitment or mobilization factors including GM-CSF, IL-3, SCF and others prior to cell collection (col. 3, lines 30-36) and *ex vivo* expansion of progenitor cells (col. 3, lines 46-52) in the method for improving cell transplantation.

The references by Kocher et al. and Kalka et al. teach the use of circulating blood derived stem and progenitor cells for treating damage or disease of tissues including striated muscle, ischemic tissue, necrotic tissue, myocardium, skeletal muscle and/or heart. But they are silent about recovery of damaged or diseased liver. However, the reference by Lagasse et al. teaches that blood or hematopoietic stem cells can differentiate into hepatocytes (title).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the claimed invention was made to administer engraftment factors in combination with stem and/or progenitor cell transplantation with a reasonable expectation of success for improving cell transplantation as suggested by Kocher et al. and Kalka et al. and as taught by US 5,199,942 (Gillis). One of skill in the art would have been motivated to *ex vivo* expand the stem or progenitor cells prior transplantation for the expected benefits in expanding or increasing number of harvested cells as taught by Kalka et al. and taught by US 5,199,942 (Gillis). One of skill in the art would have been motivated to use circulating hematopoietic stem cells as a source of cells

Art Unit: 1651

for restoring damaged or diseased liver because blood or hematopoietic stem cells can differentiate into hepatocytes can differentiate into hepatocytes as taught by Lagasse et al. One of skill in the art would have been motivated to use cell derived from a donor that is HLA-matched to the host for the expected benefits in minimizing immune response and avoiding transplant rejection.

Thus, the claimed invention as a whole was clearly *prima facie* obvious, especially in the absence of evidence to the contrary.

The claimed subject matter fails to patentably distinguish over the state art as represented by the cited references. Therefore, the claims are properly rejected under 35 USC § 103.

Response to Arguments

Applicant's arguments filed 10/11/2005 have been fully considered but they are not persuasive.

With regard to the claim rejections under 35 U.S.C. 102(b) as being anticipated by Kocher et al. or by Kalka et al. Applicant argues that the methods of cited references result in neovascularization and, thus, reconstitution of hematopoietic tissue rather than “producing a graft of non-hematopoietic tissue” as required by amended claims (response page 9). This is not true because term “hematopoietic” relates to the formation of blood cells while vascularization is formation of new blood vessels (for example: see on-line Stedman's Medical Dictionary). Both cited references Kocher et al. and/or Kalka et al. demonstrate with an aid of fluorescent labels that the donor peripheral blood derived stem cells were incorporated or implanted into recipient damaged tissues including skeletal and myocardial muscles, thus, “producing a graft of non-

Art Unit: 1651

hematopoietic tissue” in the recipient damaged or diseased tissues within the meaning of the instant claims.

With regard to the claim rejection under 35 U.S.C. 103 Applicant appears to argue that the cited reference by Lagasse is not a relevant prior art because it teaches that stem cells (HSCs) were isolated from bone marrow rather than from peripheral blood as required by the claimed invention (response page 10). This is not found convincing since the claimed invention encompasses administration of mobilization factor(s) to a donor prior to collection of stem cells from the donor (claim 5, for example). Thus, bone marrow derived HSCs would be mobilized into circulating blood upon administration of mobilization factor(s). Both cited references by Kocher et al. and/or by Kalka et al. teach collection of stem cells from peripheral blood following treatment of donor with mobilization factor G-CSF. Therefore, the cited references are in the same field of endeavor and they seek to solve the same problems as the instant application and claims, and one of skill in the art is free to select components available in the prior art, *In re* Winslow, 151 USPQ 48 (CCPA, 1966). Therefore, the claims are properly rejected under 35 USC § 103.

No claims are allowed.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO**

Art Unit: 1651

MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vera Afremova whose telephone number is (571) 272-0914. The examiner can normally be reached from Monday to Friday from 9.30 am to 6.00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Wityshyn can be reached at (571) 272-0926. The fax phone number for the TC 1600 where this application or proceeding is assigned is (571) 273-8300.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology center 1600, telephone number is (571) 272-1600.

Vera Afremova,

AU 1651

December 20, 2005

A handwritten signature in black ink, appearing to read 'V. Afremova', with a stylized, flowing script.

VERA AFREMOVA

PRIMARY EXAMINER